Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	378	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:15
S2	243	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:19
S3	19	emulat\$3 near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:47
S4	4	(("5768613") or ("4870614") or ("5727227") or ("5923892")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S5	101	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S6	68	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:49
S7	199	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:56
S8	21	((712/34).CCLS.) and emulation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:57
S9	0	(co?processor) near4 (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:31
S10	0	(co?processor) same (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32

				,	···	
S11	28	(co?processor) near4 load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32
S12	0	(co?processor) same (data adj1 deadlock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:33
S13	4	(co?processor) same deadlock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:24
S14	27	(co?processor) same (shared near4 resource\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:44
S15	0	(co?processor) same (shared near4 resource\$1) same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S16	2	(co?processor) same resource\$1 same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S17	6	(("5923892") or ("4219873") or ("5109514") or ("5727227") or ("4774625") or ("4695945")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:20
S18	497	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S19	311	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S20	113	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S21	83	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13

S22	264	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:14
S23	0	(interrupt near4 vector\$1) near4 (instruction adj1 (sets or architectures)) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:29
S24	12	(interrupt near4 vector\$1) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:18
S25	13	(interrupt near4 vector\$1) with co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:20
S26	21	(interrupt near4 vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:25
S27	. 0	(interrupt near4 vector\$1) near4 (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S28	2	(interrupt near4 vector\$1) with (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S29	11	(interrupt near4 vector\$1) same (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S30	22	(interrupt with vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S31	24	(interrupt same vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S32	3972	(interrupt near4 vector\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
S33	3269	(interrupt adj1 vector\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30

			ii iliscoi j	•		
S34	140	(interrupt adj1 vector\$1) near4 handler\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
S35 ·	529	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S36	327	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S37	117	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 14:45
S38	86	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S39	294	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:13
S40	1	(co?process\$2) near4 (updat\$3 near4 (PC or (program adj1 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:56
S41	1	(co?process\$2) with (updat\$3 near4 (PC.or (program adj1 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S42	, 1	(co?process\$2) with (updat\$3 with ((PC or (program adj1 count\$3)) near4 stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S43	1	(co?process\$2) with (updat\$3 with ((PC or (program adj1 count\$3)) with stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S44	1	(co?process\$2) same (updat\$3 with ((PC or (program adj1 count\$3)) with stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:35

S45	1	(co?process\$2) same (updat\$3 same ((PC or (program adj1 count\$3)) with stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:35
S46	2	(co?process\$2) same (updat\$3 same ((PC or (program adj1 count\$3)) same stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:40
S47	0	((co?process\$2) same (updat\$3 same ((PC or (program adj1 count\$3)) same stack\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:36
S48	2	((co?process\$2) and (updat\$3 and ((PC or (program adj1 count\$3)) and stack\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:36
S49	0	(co?process\$2) near4 (writ\$3 near4 (PC or (program adj1 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S50	2	(co?process\$2) same (updat\$3 same ((PC or (program adj2 count\$3)) same stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S51	2	(co?process\$2) same (updat\$3 same ((PC or (program near4 count\$3)) same stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S52	0	(co?process\$2) near4 (writ\$3 near4 (PC or (program adj2 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S53	0	(co?process\$2) same (writ\$3 near4 ((PC or (program adj2 count\$3)) near4 stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S54	0	(co?process\$2) same (writ\$3 with ((PC or (program adj2 count\$3)) near4 stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S55	0	(co?process\$2) same (writ\$3 with ((PC or (program adj2 count\$3)) with stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S56	2	(co?process\$2) same (writ\$3 same ((PC or (program adj2 count\$3)) with stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42

	1		·,		т	
S57	5	(co?process\$2) same (writ\$3 same ((PC or (program adj2 count\$3)) same stack\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S58	3	(co?process\$2) near4 ((PC or (program adj1 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S59	3	(co?process\$2) with ((PC or (program adj1 count\$3)) near4 stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S60	3	(co?process\$2) with ((PC or (program adj1 count\$3)) with stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S61	. 8	(co?process\$2) same ((PC or (program adj1 count\$3)) with stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:59
S62	11	(co?process\$2) same ((PC or (program adj1 count\$3)) same stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:59
S63	8	(co?process\$2) same ((PC or (program near4 count\$3)) with stack\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 12:00
S64.	119	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 11:03
S65	90	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 11:03
S66	319	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 11:03
S67	345	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 11:03

	r	<u></u>		31	·	
S68	562	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 11:04
S69 ⁻	10	(interrupt\$3 near4 co?process\$3) with (vector\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/24 15:42
S70	15	(interrupt\$3 with co?process\$3) with (vector\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/24 16:27
S71	0	(interrupt\$3 with co?process\$3) with (vector\$1)	EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 16:00
S72	3	(interrupt\$3 same co?process\$3) same (vector\$1)	EPO; JPO; IBM_TDB	OR	OFF	2006/10/24 16:00
S73	17	(interrupt\$3 with co?process\$3) same (vector\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/24 16:36
S74	- 26	(interrupt\$3 same co?process\$3) same (vector\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/24 16:38
S75	163	(interrupt\$3 and co?process\$3) and (vector\$1) and (decod\$3) and (encod\$3)	US-PGPUB	OR	OFF	2006/10/24 16:39
S76	0	((interrupt\$3 and co?process\$3) and (vector\$1) and (decod\$3) and (encod\$3)).clm.	US-PGPUB	OR	OFF	2006/10/24 16:39
S77	0	((interrupt\$3 and co?process\$3) and (vector\$1) and ((decod\$3) or (encod\$3))).clm.	US-PGPUB	OR	OFF	2006/10/24 16:50
S78	2	((interrupt\$3 and co?process\$3) and (vector\$1)).clm.	US-PGPUB	OR	OFF	2006/10/24 16:51